



fitwall®  
MINERAL DECORATIVE PANELS

KRICN  
PORCELANOSA Grupo





**fitwall®**  
MINERAL DECORATIVE PANELS


**KRICN**  
PORCELANOSA Grupo

# index

## CONCRETE SERIES

---


### WAVE · 14



White Sand




Ocre Sand




Grey Sand


### ARCO · 20



White Sand



Ocre Sand




Grey Sand


### ROLLING · 26



White Sand



Ocre Sand



River Sand



Velvet Black

## COTTO SERIES

---

### MATTONELLA · 32




White Clay



Paglierino



Bruciato



Rosato



Anticato



WOOD SERIES

---

DOGHE · 38



Roble  
Natura



Nogal  
Americano




Roble  
Murano

CREATIVE SERIES

---


WILLOW · 44



Velvet Green



Velvet Blue



Velvet Black

PALM · 50



Mediterranean



Caribbean

SHADES · 56



White Sand



Vanilla Sand



Dark Sand

OZ · 62




White Clay



Mediterranean



Red Clay



Yellow Clay



Velvet Brown

Fitwall® panels are decorative coverings which can recreate textures and volumes with great realism to the eye and to the touch. Designed for covering vertical facings of walls, units and commercial and residential fittings, they can also be installed on ceilings and horizontal coverings such as non-functional decorative elements.


The composition of the panels has been developed exclusively by Krion Porcelanosa Group. This material contains a large quantity of minerals, bonded with resin which incorporates recycled PET. Thanks to this composition, Fitwall® offers good safety performance in fire resistance, impermeability and low emission of volatile organic compounds.







Fitwall® panels are produced from a unique mixture of different materials. The balance between these elements is decisive for achieving the maximum performance in their use.



In their composition, Fitwall® panels incorporate a mineral load of over 50% with a high technical value, which contribute distinctive properties with regard to:

- Reduced use of resin in manufacturing.
- Improved flame retardant properties of the panel.
- Resistance and flexibility throughout the panel.





MINIMUM 3% RECYCLED  
CONTENT POST INDUSTRIAL  
AND/OR POST-CONSUMER

SCS Global Service, a leading North American independent entity in environmental certifications, has verified that Fitwall® panels contain a minimum of 3% PET in their composition, largely from recycled plastic waste, thereby demonstrating commitment to more sustainable and environmentally friendly production.

9

Finally, the inorganic pigments, acidic enamel and water-based dyes give Fitwall® panels a great natural appearance.

Fitwall® panels have a careful aesthetic based on original creations and also present a series of attractive properties that provide them with the functionality to stop being just a decorative panel, such as impact resistance, fire resistance, repairability and non-porousness. In addition, it contributes as an acoustic insulator and protector.



Mineral composition



100% realistic finishes



Light weight



Flexibility



Impact resistance



Fire resistance



Dry construction



Resistance to dry heat



Repairable



Reusable







At Krion Porcelanosa Grupo, our mission is to create design products that meet the quality requirements of today's market, that are technologically advanced and that are also linked to values associated with sustainability. We understand sustainability as a rational system by which we minimize the use of resources, opting to use recycled materials and low energy consumption, offering the market durable and repairable products. We want to be a part of the chain that promotes the circular economy, basing our purpose on the research and development of new solutions.

11

EPUPR

For the manufacture of the Fitwall® panels, Krion Porcelanosa Grupo S.A.U. has committed to rational sustainability through EPUPR technology, and is a pioneer in the use of a resin with an exclusive formulation.

This incorporates recycled polyethylene terephthalate (PET), contributing to minimising the consumption of the planet's natural resources.

Fitwall® panels are designed to cover walls, ceilings and furniture, creating different and attractive spaces in an easy way.



Homes



Retail



Hotel



Restaurants,  
bars and cafés



Offices



Public  
buildings



Health  
service



Transport

12



Walls



Ceilings



Units



Equipment



Fitwall® panels come in different finishes and colors, but if you do not find the one that suits your space, Fitwall® has the Raw White finish that is ready to be painted the color you want.



Krion recommends that Fitwall® panels are installed by a qualified professional, as described in the installation manuals, which is vital for a correct and durable installation.



For the installation of Fitwall® panels, accessory materials such as fillers, paints or dyes are used. If you have any doubts, please consult the specific data sheet of each model.



# wave

14

Subtle and delicate forms create Wave, a panel of contrasts combining smooth curves with the texture of details. Wave creates sophisticated and timeless spaces, seeking care for detail in each element.

Design created by Estudi{H}ac.







**Wave · White Sand**

1295 x 2590 mm · 100314038

1295 x 3290 mm · 100287549



**Wave · Ocre Sand**

1295 x 2590 mm · 100314054

1295 x 3290 mm · 100293371



**Wave · Grey Sand**

1295 x 2590 mm · 100314121


1295 x 3290 mm · 100293337




# SpA hotel

17





19



# PAINT

White Sand	Ocre Sand	Grey Sand
FW P001	FW P004	FW P007

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# arco

20

The grandeur of the monuments of Roman architecture have served as an inspiration for designing Arco. The Arco model is ideal for creating atmospheres with subtle, delicate decoration, which make an impact on everyone.

Design created by Estudi(H)ac.







**Arco · White Sand**

1185 x 2590 mm · 100314068

1185 x 3290 mm · 100293356



**Arco · Ocre Sand**

1185 x 2590 mm · 100314076

1185 x 3290 mm · 100293299



**Arco · Grey Sand**


1185 x 2590 mm · 100314064

1185 x 3290 mm · 100293381










25



#### PAINT

White Sand	Ocre Sand	Grey Sand
FW P001	FW P004	FW P007

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# rolling

Inspired by the beauty given to us by nature, we have designed Rolling, a panel which stands out due to its exotic and natural aesthetic. Ideal for use in spaces which seek to convey peace, with a natural, timeless decoration.

Design created by Estudi{H}ac.








**Rolling · White Sand**  
 1295 x 2590 mm · 100314071  
 1295 x 3290 mm · 100293357



**Rolling · Ocre Sand**  
 1295 x 2590 mm · 100314113  
 1295 x 3290 mm · 100293333



**Rolling · River Sand**  
 1295 x 2590 mm · 100314114  
 1295 x 3290 mm · 100293279





**Rolling · Velvet Black**  
 1295 x 2590 mm · 100314130  
 1295 x 3290 mm · 100293370











PAINT

White Sand	Ocre Sand	River Sand	Velvet Black
FW P001	FW P004	FW P026	FW P013

(\*) Approximate measurements. Nominal measurement tolerances are ±20mm on the long side and ±10mm on the short side. (\*\*) Approximate measurements. Design height tolerance ±5mm.



# mattonella

32

Taking traditional aesthetics as an inspiration, we have designed Mattonella, a panel with an appearance similar to fired clay which offers a unique decorative potential. Mattonella is a combination of tradition and modernity, giving spaces a creative and timeless atmosphere.

Design created by Estudi[H]ac.







**Mattonella · White Clay**  
 1145 x 2595 mm · 100314065  
 1145 x 3265 mm · 100293343



**Mattonella · Paglierino**  
 1145 x 2595 mm · 100314066  
 1145 x 3265 mm · 100293391



**Mattonella · Bruciato**  
 1145 x 2595 mm · 100314092  
 1145 x 3265 mm · 100293338



**Mattonella · Rosato**  
 1145 x 2595 mm · 100314085  
 1145 x 3265 mm · 100293372



**Mattonella · Anticato**  
 1145 x 2595 mm · 100314084  
 1145 x 3265 mm · 100293392






35




100293372 · Cotto Series · Mattonella Rosato





37



#### PAINT

White Clay	Paglierino	Bruciato	Rosato	Anticato
FW P025	FW P009 FW P010	FW P007 FW P008	FW P014 FW P015	FW P016 FW P018

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# doghe

38


With a similar appearance to natural wood, Doghe is noble and sophisticated, a decorative panel which conveys elegance. It offers spaces the warmth and comfort of natural wood, being an excellent option for places of relaxation.

Design created by Estudi{H}ac.










**Doghe · Roble Natura**

1285 x 2590 mm · 100314093


1285 x 3290 mm · 100293376



**Doghe · Nogal Americano**

1285 x 2590 mm · 100314086

1285 x 3290 mm · 100293375



**Doghe · Roble Murano**


1285 x 2590 mm · 100314075

1285 x 3290 mm · 100293395










43



# PAINT

Roble Natura

Nogal Americano

Roble Murano

FW T021

FW T020

FW T019

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# willow

Delicacy and strength give value to this model and place it at the vanguard of design. Willow emits peaceful sensations for creating welcoming environments. Excellent for use in spaces where a fresh, delicate atmosphere is sought.

Design created by Estudi(H)ac.










**Willow · Velvet Green**

1285 x 2590 mm · 100314100


1285 x 3290 mm · 100293347



**Willow · Velvet Blue**

1285 x 2590 mm · 100314096

1285 x 3290 mm · 100293413




**Willow · Velvet Black**


1285 x 2590 mm · 100314094

1285 x 3290 mm · 100293422










49



# PAINT

Velvet Green	Velvet Blue	Velvet Black
FW P027	FW P028	FW P013

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .





# palm

50

Passion for details has led us to design Palm, a piece with a braided appearance which gives volume to decoration. The application of Palm changes the aesthetic and personality of any space with extraordinary ease.

Design created by Estudi{H}ac.





100293414 · Creative Series · Palm Caribbean






**Palm · Mediterranean**

1183 x 2532 mm · 100314079

1183 x 3201 mm · 100293415



**Palm · Caribbean**

1183 x 2532 mm · 100314101


1183 x 3201 mm · 100293414




100293415 · Creative Series · Palm Mediterranean







55



PAINT

Mediterranean

FW P011

Caribbean

FW P017  
FW P009

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# shades

56


Contemporary and sophisticated, Shades is a commitment to conveying sensations and lingering in the mind. Using Shades to decorate spaces is perfect if seeking to create distinctive atmospheres which linger people's minds.

Design created by Estudi{H}ac.






57








**Shades · White Sand**

2520 x 1228 mm · 100314120


3165 x 1228 mm · 100293423



**Shades · Vanilla Sand**

2520 x 1228 mm · 100314110

3165 x 1228 mm · 100293416




**Shades · Dark Sand**


2520 x 1228 mm · 100314102

3165 x 1228 mm · 100293433










61



#### PAINT

White Sand	Vanilla Sand	Dark Sand
FW P001	FW P010	FW P029

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# OZ


Different textures make up Oz, a striking combination which is notable for its originality and ability to transform any space. It is the perfect decorative panel for premises seeking to project a modern image, such as restaurants or cocktail bars.

Design created by Estudi Hflac.









**Oz · White Clay**  
3085 x 1230 mm · 100293424



**Oz · Mediterranean**  
3085 x 1230 mm · 100293434



**Oz · Red Clay**  
3085 x 1230 mm · 100293435



**Oz · Yellow Clay**  
3085 x 1230 mm · 100293444





**Oz · Velvet Brown**  
3085 x 1230 mm · 100293441











# PAINT

White Clay	Mediterranean	Red Clay	Yellow Clay	Velvet Brown
FW P025	FW P011	FW P014 / FW P016 / FW P022 / FW P018 / FW P017	FW P018 FW P022	FW P008

(\*) Approximate measurements. Nominal measurement tolerances are  $\pm 20\text{mm}$  on the long side and  $\pm 10\text{mm}$  on the short side. (\*\*) Approximate measurements. Design height tolerance  $\pm 5\text{mm}$ .



# codes

PANELS	DIMENSIONS	GROUP	SAP
<b>Concrete Series</b>			
WAVE. White Sand	1295 x 2590 mm	BR	100314038
	1295 x 3290 mm	B	100287549
WAVE. Ocre Sand	1295 x 2590 mm	BR	100314054
	1295 x 3290 mm	B	100293371
WAVE. Grey Sand	1295 x 2590 mm	BR	100314121
	1295 x 3290 mm	B	100293337
ARCO. White Sand	1185 x 2590 mm	BR	100314068
	1185 x 3290 mm	B	100293356
ARCO. Ocre Sand	1185 x 2590 mm	BR	100314076
	1185 x 3290 mm	B	100293299
ARCO. Grey Sand	1185 x 2590 mm	BR	100314064
	1185 x 3290 mm	B	100293381
ROLLING. White Sand	1295 x 2590 mm	AR	100314071
	1295 x 3290 mm	A	100293357
ROLLING. River Sand	1295 x 2590 mm	AR	100314114
	1295 x 3290 mm	A	100293279
ROLLING. Ocre Sand	1295 x 2590 mm	AR	100314113
	1295 x 3290 mm	A	100293333
ROLLING. Velvet Black	1295 x 2590 mm	AR	100314130
	1295 x 3290 mm	A	100293370
<b>Cotto Series</b>			
MATTONELLA. Paglierino	1145 x 2595 mm	AR	100314066
	1145 x 3265 mm	A	100293391
MATTONELLA. Rosato	1145 x 2595 mm	AR	100314085
	1145 x 3265 mm	A	100293372
MATTONELLA. Anticato	1145 x 2595 mm	AR	100314084
	1145 x 3265 mm	A	100293392
MATTONELLA. Bruciato	1145 x 2595 mm	AR	100314092
	1145 x 3265 mm	A	100293338
MATTONELLA. White Clay	1145 x 2595 mm	AR	100314065
	1145 x 3265 mm	A	100293343

PANELS	DIMENSIONS	GROUP	SAP
<b>Wood Series</b>			
DOGHE. Nogal Americano	1285 x 2590 mm	CR	100314086
	1285 x 3290 mm	C	100293375
DOGHE. Roble Murano	1285 x 2590 mm	CR	100314075
	1285 x 3290 mm	C	100293395
DOGHE. Roble Natura	1285 x 2590 mm	CR	100314093
	1285 x 3290 mm	C	100293376
<b>Creative Series</b>			
WILLOW. Velvet Black	1285 x 2590 mm	CR	100314094
	1285 x 3290 mm	C	100293422
WILLOW. Velvet Blue	1285 x 2590 mm	CR	100314096
	1285 x 3290 mm	C	100293413
WILLOW. Velvet Green	1285 x 2590 mm	CR	100314100
	1285 x 3290 mm	C	100293347
PALM. Caribbean	1183 x 2532 mm	CR	100314101
	1183 x 3201 mm	C	100293414
PALM. Mediterranean	1183 x 2532 mm	CR	100314079
	1183 x 3201 mm	C	100293415
SHADES. White Sand	2520 x 1228 mm	BR	100314120
	3165 x 1228 mm	B	100293423
SHADES. Dark Sand	2520 x 1228 mm	BR	100314102
	3165 x 1228 mm	B	100293433
SHADES. Vanilla Sand	2520 x 1228 mm	BR	100314110
	3165 x 1228 mm	B	100293416
OZ. Red Clay	3085 x 1230 mm	A	100293435
OZ. Yellow Clay	3085 x 1230 mm	A	100293444
OZ. White Clay	3085 x 1230 mm	A	100293424
OZ. Mediterranean	3085 x 1230 mm	A	100293434
OZ. Velvet Brown	3085 x 1230 mm	A	100293441



# codes

PUTTY	SAP
Fitmastic Fine 0,25kg	100294251
Fitmastic Fine 0,5kg	100294225
Fitmastic Fine 2kg	100294185
Fitmastic Fine 5kg	100294252
Fitmastic Rough 0,25kg	100294179
Fitmastic Rough 0,5kg	100294214
Fitmastic Rough 2kg	100294215
Fitmastic Rough 5kg	100287852
Aquafitmastic Rough 0,25kg	100294186
Aquafitmastic Rough 0,5kg	100294187
Aquafitmastic Rough 2kg	100294188
Aquafitmastic Rough 5kg	100294189
FW Hardener 15ml	100294162
FW Hardener 75ml	100287860

PAINT	SAP
FW P001 100ml	100294247
FW P003 100ml	100294264
FW P004 100ml	100294290
FW P005 100ml	100294291
FW P007 100ml	100294265
FW P008 100ml	100294282
FW P009 100ml	100294273
FW P010 100ml	100294234
FW P011 100ml	100294219
FW P013 100ml	100294235
FW P014 100ml	100294228
FW P015 100ml	100294236
FW P016 100ml	100294248
FW P017 100ml	100294270
FW P018 100ml	100294271
FW P022 100ml	100294261
FW P025 100ml	100287862
FW P026 100ml	100294254
FW P027 100ml	100294263
FW P028 100ml	100294280
FW P029 100ml	100304388
FW T019 100ml	100294272
FW T020 100ml	100294237
FW T021 100ml	100294281

PAINT	SAP
FW P001 300ml	100287838
FW P003 300ml	100294302
FW P004 300ml	100294331
FW P005 300ml	100294326
FW P007 300ml	100294314
FW P008 300ml	100294327
FW P009 300ml	100294315
FW P010 300ml	100294342
FW P011 300ml	100294334
FW P013 300ml	100294330
FW P014 300ml	100287817
FW P015 300ml	100294340
FW P016 300ml	100294312
FW P017 300ml	100294322
FW P018 300ml	100294323
FW P022 300ml	100294350
FW P025 300ml	100294400
FW P026 300ml	100294324
FW P027 300ml	100294325
FW P028 300ml	100294352
FW P029 300ml	100304355
FW T019 300ml	100294332
FW T020 300ml	100294333
FW T021 300ml	100294353



# faq's



## What is Fitwall® used for?

Covering:



Ceilings



Walls



Units

## Where can it be installed?



Interior

## On what type of support can it be installed?



Plasterboard



Brick



Wood

72

## Does the support where the panel will be installed have to be prepared in any way?

The substrate must not be treated with any product. It must be ensured that the wall is flat, as it may be irregular.

## Is it necessary to carry out works for the installation of this type of panel?

It is not necessary to carry out works due to installation being with mechanical fixings, that is, screws and blocks, depending on the substrate, and installing on an existing substrate.

## Does installation take a long time?

Due to the size of the panels, a larger area is covered in a shorter time, therefore making the installation time relatively short. Full renovations may be carried out in a much shorter time than with other materials existing on the market.





73

#### **Can it be curved?**

It must be known that the panel adapts to the substrate where it will be installed. It is therefore possible to create curves, always taking into account the curve radii specified in the installation datasheets of each panel.

#### **Does cleaning require any special product?**

No, scrubbers and fabric cloths must be avoided, as they are rough materials which damage the surface of the material. We paper is used to eliminate the excess, a little soap, and a cloth to clean and dry the surface.





PORCELANOSA Grupo

Ctra. Vila-real-Puebla de Arenoso (CV20) Km 1 · 12540 VILA-REAL (CASTELLÓN) SPAIN  
Tel: (+34) 964 50 64 64 / [krion@krion.com](mailto:krion@krion.com) / [www.krion.com](http://www.krion.com)

**Legal Notice:** The images, texts and data are owned by KRION SOLID SURFACE, S.A.U., with registered office at Carretera Vila-real – Puebla de Arenoso (CV-20), 12.540 Vila-real (Castellón). Its express, written consent is required for the use and dissemination, whether partial or full, of this content. KRION SOLID SURFACE, S.A.U. has exclusive usage rights over it in any form, and in particular the rights of reproduction, distribution, public communication and transformation. All this material is protected by intellectual property legislation and its misuse may be subject to penalty including criminal penalty.







Ctra. Vila-real-Puebla de Arenoso (CV20) Km 1 · 12540 VILA-REAL (CASTELLÓN) SPAIN  
Tel: (+34) 964 50 64 64 / [krion@krion.com](mailto:krion@krion.com) / [www.krion.com](http://www.krion.com)